

5030 : ST Blade Fuse Block - 6 Circuits with Negative Bus



Price: CAD \$54.99

SKU: BSS5030

Product Categories: [Distribution Panels](#), [Supply](#), [Wiring & BOS](#)

Product Tags: [5030](#), [5030 canada](#), [blue sea 5030](#), [blue sea 5030 canada](#), [blue sea systems](#), [canada](#), [dc distribution](#), [Fuse Block](#)

Product Page:

<https://www.modernoutpost.com/product/5030-st-blade-fuse-block-6-circuits-with-negative-bus/>

Product Summary

Blue Sea 5030 : ST Blade Fuse Block - 6 Circuits with Negative Bus. Consolidates branch circuits and in-line fuses. Includes cover.

Product Description

Blue Sea 5030 : ST Blade Fuse Block - 6 Circuits with Negative Bus. Consolidates

branch circuits and in-line fuses. Includes cover.

5030 Features...

- Positive distribution bus with #10-32 stud - Can be used for 24-hour circuits - Models available with or without a cover - Tin-plated copper buses and fuse clips - Accepts ring or snap fork type terminals - Accepts ATO® and ATC® fast acting blade fuses - Fuses sold separately

5030 Specifications

Circuits : 6

Maximum Amperage : 100A per block / 30A per circuit

(Maximum amperage ratings are dependent on use of appropriately sized fuses and wire for a given application.)

Maximum Voltage : 32V DC

Mounting : #8 Screw (M4)

Negative Bus : #10-32 Stud

Positive Bus : #10-32 Stud

Recommended Torque : 24 in-lb (2.71 N·m)

Screw Terminal Torque : 18 in-lb (2.03 Nm)

Screw Terminal Type : #8-32 Screws with captive star lock washer



The ST Blade Fuse Block can offer a space saving and cost effective solution to adding circuit protection. A single circuit breaker on a distribution panel can provide the circuit protection for the feed wire to the ST Blade Fuse Block. This is frequently done for electronics that each have their own ON-OFF switch and don't require the switching offered by a circuit breaker. The 6 or 12 position ST Blade Fuse Block then provides a consolidated location for each of the fuses.

Product Attributes

- Dimensions: 1 × 1 × 1 cm
- Weight: .4 kg