

## 10W SunCharger Solar Trickle Charger



Price: CAD \$164.99

**SKU:** SXSUNCHARGER10

**Product Categories:** [36-Cell](#) : [Off-Grid](#), [Boats & Yachts](#), [Home](#), [On The Road](#), [On The Water](#), [Projects](#) : [Crystalline](#), [RV & Van Systems](#), [Solar Modules](#), [Supply](#)

**Product Tags:** [10w](#), [canada](#), [charger](#), [samlex](#), [sc-10](#), [solar](#), [solar panel](#), [suncharger](#), [SunCharger 10](#), [trickle charger](#)

**Product Page:** <https://www.modernoutpost.com/product/suncharger-10/>

### Product Summary

The SunCharger 10 is perfect for maintaining the 12V battery in your RV, car, boat, motorcycle, snowmobile, SeaDoo, or ATV with power from the sun. Ultra slim, compact, & weatherproof, with NO metal to rust or glass to break. A great idea for boats & vehicles in winter storage. Use the SunCharger 10 for maintaining larger vehicle batteries.

## Product Description

The SunCharger 10 is perfect for maintaining the 12V battery in your RV, car, boat, motorcycle, snowmobile, SeaDoo, or ATV with power from the sun. Ultra slim, compact, & weatherproof, with NO metal to rust or glass to break. A great idea for boats & vehicles in winter storage. Use the SunCharger 10 for maintaining larger vehicle batteries.

Plug the SunCharger 10 into any connected 12V lighter (CLA) socket to begin trickle charging your battery.

### SunCharger 10 Features...

- Trickle charge any 12V battery - Maintenance-free - Environmentally friendly - Integrated blocking diodes to prevent discharge from the battery - Comes with 3m (10') weather resistant cable - 2-Year Warranty

### Specifications...

- Type of cells : Poly-crystalline - No. of cells in series in one string : 36 - Nominal Rated Power : 9.5W - Output Voltage (Open Circuit), Voc 21.5 VDC - Output Voltage (At Maximum Power Point) : Vmp 17.0V - Output Current (Short Circuit) : Isc 0.60A - Output Current (At Maximum Power Point) : Imp 0.56 A - Connecting cable : 3 M , AWG #18, weather-resistant - Standard cigarette plug with replaceable 10 A fuse type AGC-10 - Operating Temperature -35°F to +175°F (-37°C to + 79°C) - Dimensions (LxWxH) 30.4 x 38.1 x 1.35cm (12 x 15 x 0.53) - Weight : 0.9 Kg (2 lbs)

## Product Attributes

- Dimensions: 1 &times; 1 &times; 1 cm
- Weight: 1.9 kg

## Product Gallery

