


Shine Solar Light + USB Charger by Voltaic



[15, 117, 84](#)

SKU: VCSHINE-SOL3

Product Categories: [Batteries](#), [Lighting](#), [Lithium : Portable USB Packs](#), [On The Roof](#), [On The Trail](#), [Rugged Stuff](#), [Shed Lighting](#), [Supply](#), [Tiny House Power](#), [Trek Global](#), [Ultralight](#), [USB Lighting](#)

Product Tags: [canada](#), [charger](#), [led](#), [shine](#), [shine battery](#), [shine canada](#), [shine flashlight](#), [shine usb](#), [solar](#), [solar battery](#), [solar charger](#), [solar led](#), [solar light](#), [usb battery](#), [usb charger](#), [voltaic](#), [voltaic shine](#), [voltaic systems](#)

Product Page:

<https://www.modernoutpost.com/product/voltaic-shine-solar-light-usb-charger/>

Product Summary

Voltaic Shine Solar Light + USB Charger. Bright, versatile, and waterproof, the Shine Solar Light + USB Charger is ready whenever you need it. This kit includes the solar panel, so you can have a self-contained, solar-powered LED light source just about anywhere!

Free Shipping In Canada

Product Description

Voltaic Shine Solar Light + USB Charger. Bright, versatile, and waterproof, the Shine Solar Light + USB Charger is ready whenever you need it. This kit includes the solar panel, so you can have a self-contained, solar-powered LED light source just about anywhere!

- Built-In 5,000mAh Battery Pack (1x USB Port) - 30+ Hours Of Brilliant Light (3 Brightness Settings) - Mounting Bracket For Light And Panel - Removable Cable For Use As A Torch Light - Waterproof IPX67 Rating

The Voltaic Shine Includes...

- Shine Solar Light + USB Battery - 56" cable - 3.5 Watt Solar Panel - Wall Mounts for Light and Solar Panel

Voltaic Shine Specifications...

Shine Features Brightness (CREE LED) - Low = 75 lumens - Medium = 140

lumens - High = 220 lumens **Runtime** - Low = 31 hours - High = 7.5 hours

Battery and Device Charging - Capacity: 5,000mAh, 19 Watt Hours - Output:

5V/1.2A USB - Battery Type: Li-Polymer - Protection: Short Circuit, Over Charge, Over Discharge, Over Current, Over Temperature **Charge Time:** 5.5 hours

from USB, 8 hours from 3.5 Watt solar panel in good sun

Shine Dimensions: 36mm x 126mm, Cable = 142cm

Shine Weight: 7.7 ounces

Solar Panel Power - Monocrystalline cells - 19% efficient - Open Circuit Voltage:

7.0V - Peak Voltage: 6.0V - Peak Current: 580mA - Peak Current: 3.5 Watts

Solar Panel Construction - Urethane coating - 3mm Aluminum/Plastic composite

substrate **Panel Dimensions:** 210mm x 113mm

Panel Weight: 74.8 ounces

USB Port Compatibility...

Smartphones:

Charges all USB Devices including all Apple, Android and Blackberry smartphones.

Tablets:

Charges all tablets that are powered by USB including Apple iPads and Samsung Tablets. Will not charge tablets that charge at 12 or 16 Volts.

Digital Cameras:

Charges both DSLRs and cameras that char

Product Attributes

- Dimensions: 1 × 1 × 1 cm
- Weight: .9 kg

Product Gallery



